



KODAK Powerbank Devices

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
Issue date: 24/11/2025 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Article
Product name : KODAK Powerbank P02-10000mAh

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Consumer use
Industrial/Professional use spec : Industrial
For professional use only
Use of the substance/mixture : Consumer powerbank for electrical storage and charging

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Registered Address:
Strand Europe Ltd, 3rd Floor
207 Regent Street, London, W1B 3HH
United Kingdom
T +44 (0) 1252 861000
sales@strandeuropa.com

1.4. Emergency telephone number

Emergency number : For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night 1-800-424-9300 / +1 703-527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

This product is an article within the definition of UK and EU REACH and CLP Regulations. Classification and labelling and the provision of an SDS is not required, but this document contains information and advice concerning safe handling of the product.

Chemical components are contained within the article battery to prevent release during normal transport, storage and use. Exposure to the chemical contents is not foreseen during normal use.

2.2. Label elements

This product is not expected to cause a hazard however if the casing splits then the contents can cause significant hazards.
No labelling applicable

2.3. Other hazards

Exposure to fire, or mechanical or electrical stress may cause failure of the container and release of chemical components.
Strong heating may lead to fire and production of irritating or harmful gas.

The chemical components cause eye damage and skin corrosion. Harmful if swallowed. May cause skin sensitisation. May damage fertility or the unborn child. Suspected of causing cancer. Causes damage to organs through prolonged or repeated exposure.

This document gives advice on hazards relating to the chemical components of the article. The user is advised that additional hazards may be present from handling the product. See instructions for use.



KODAK Powerbank Devices

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cobalt Lithium dioxide	CAS-No.: 12190-79-3 EC-No.: 235-362-0	≥ 15 – < 40	Repr 1B, H360Fd
Lithium hexa-fluorophosphate (LiPF ₆)	CAS-No.: 21324-40-3 EC-No.: 244-334-7	≥ 10 – < 30	Acute Tox 3, H301; Skin Corr 1A, H314; Eye Dam 1, H318; STOT RE 1, H372 (bones, teeth)
Copper (Cu)	CAS-No.: 7440-50-8 EC-No.: 231-159-6	≥ 5 – < 15	Aquatic Acute 1, H400 (M = 1); Aquatic Chronic 2, H411
Nickel	CAS-No.: 7440-02-0 EC-No.: 231-111-4	≥ 1 – < 5	Skin Sens 1, H317; Carc 2, H351; STOT RE 1, H372 (inhalation, respiratory tract); Aquatic Chronic 3, H412

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	: Product as supplied not inhalable. For inhalation of chemical contents, remove exposed person to fresh air and keep warm and at rest in a position comfortable for breathing. For difficulties in breathing, respiratory irritation, or other symptoms, call a poison centre or doctor.
Skin	: Product as supplied not harmful to skin. For skin contact with chemicals, immediately rinse affected area with copious water. Call a doctor if irritation, rash, or other symptoms occur.
Eye	: Product as supplied not harmful to eyes. In case of contact of chemicals in eyes, immediately rinse with room-temperature water or eyewash for several minutes. Speed is essential. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor.
Ingestion	: If chemicals are in mouth, rinse mouth thoroughly with water and spit out rinsings. Water may be given to drink if chemicals have been swallowed. Get immediate medical attention. Do not induce vomiting, unless instructed by medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

The chemical components cause eye damage and skin corrosion. May cause skin sensitisation. May damage fertility or the unborn child. Suspected of causing cancer. Causes damage to organs through prolonged or repeated exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms as they occur.



KODAK Powerbank Devices

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : A standard ABC or dry chemical fire extinguisher is recommended.
- Unsuitable extinguishing media : Using water or foam on damaged product may result in reaction to produce toxic and corrosive hydrogen fluoride. Using excess water will dilute the hydrogen fluoride and reduce its hazards.

5.2. Special hazards arising from the substance or mixture

The product contains lithium battery materials, which may ignite if heated.
Toxic, corrosive gas (hydrogen fluoride) may be emitted during fire or in contact with water.

5.3. Advice for firefighters

Remove product from fire or cool containers with water spray. Firefighters should wear self-contained breathing apparatus and full protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Product articles may be collected if undamaged.
For chemical spills of the contents, wear personal protection. Ventilate area and do not breathe vapours. Remove or extinguish sources of ignition. Follow prescribed procedures for responding to spills and reporting to authorities.
Prevent product from entering water courses or drainage system.

6.2. Environmental precautions

Prevent product from entering water courses or drainage system.

6.3. Methods and material for containment and cleaning up

Clean up spill as soon as possible. Do not flush to sewer.
For small quantities, wipe off with damp cloth or paper.
For larger quantities, absorb with inert material and carefully sweep up or collect using vacuum cleaner.
Wash contaminated surfaces with water and detergent. Collect waste, washings, and contaminated materials for safe disposal.

6.4. Reference to other sections

For recommended personal protective equipment, see Section 8.
For disposal considerations, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid damaging the product. Do not immerse in water or other liquid. Keep away from fire and strong heat. Do not disassemble the product. Strong heating may lead to fire and production of irritating or harmful gas.
Avoid skin and eye contact with the chemical content of the product, and inhalation of vapours. Ventilate area if exposure to chemicals is possible. See Section 8 for personal protection.
Wash hands after contact with chemicals.

7.2. Conditions for safe storage, including any incompatibilities

Store product in a cool, dry place.

7.3. Specific end use(s)

Consumer powerbank for electrical storage and charging



The Kodak trademark, logo and trade dress :
used under license from Kodak.
© 2026 STRAND EUROPE LTD.
www.kodakbatteries.strandeuropa.com

EU- EN (ENGLISH)

3/9



KODAK Powerbank Devices

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

EU limit values	Hydrogen fluoride: IOELV: 8 h TWA, 1.5 mg/m ³ (1.8 ppm); 15 min, 2.5 mg/m ³ (3 ppm).
National limit values	<p><i>UK:</i></p> <p>Cobalt and cobalt compounds (as Co): WEL: 8 h TWA 0.1 mg/m³ (capable of causing occupational asthma).</p> <p>Copper and compounds: dust and mists (as Cu): WEL: 8 h TWA 1 mg/m³; 15 min 2 mg/m³.</p> <p>Nickel and its inorganic compounds (except nickel tetracarbonyl): nickel and water-insoluble nickel compounds (as Ni): WEL: 8 h TWA 0.5 mg/m³.</p> <p>Hydrogen fluoride (as F): WEL: 8 h TWA, 1.5 mg/m³ (1.8 ppm); 15 min, 2.5 mg/m³ (3 ppm).</p> <p><i>Germany:</i></p> <p>Cobalt and cobalt compounds (inhalable fraction): AGS: 8 h TWA, 0.005 mg/m³; 15 min, 0.04 mg/m³.</p> <p>Copper, dusts and mists (as Cu) (respirable fraction) (DFG): 8 h TWA, 0.01 mg/m³; 15 min 0.02 mg/m³.</p> <p>Nickel, metal and compounds (inhalable fraction) (AGS): 8 h TWA, 0.03 mg/m³; 15 min, 0.24 mg/m³.</p> <p>Hydrogen fluoride: AGS: 8 h TWA, 0.83 mg/m³ (1 ppm); 15 min, 1.66 mg/m³ (2 ppm) (ceiling) (skin). DFG: 8 h TWA, 0.83 mg/m³ (1 ppm); 15 min, 1.66 mg/m³ (2 ppm) (ceiling).</p>
Monitoring procedure	BS EN 14042:2003; Workplace Atmospheres; Guide for the Application and Use of Procedures for the Assessment of Exposure to Chemical and Biological Agents, or specific national equivalent.
Other: human health (DNELs, DMELs)	LiPF ₆ : DNELs: worker, long-term exposure, systemic effects, dermal, 0.133 mg/kg/day; worker, long-term exposure, systemic effects, inhalation, 0.931 mg/m ³ .
Other: environmental (PNEC)	LiPF ₆ : PNECs: freshwater, 0.31 mg/L; intermittent release, 0.68 mg/L; sewage treatment plant, 48 mg/L; freshwater sediment, 7.73 mg/kg dry sediment; soil, 13.5 mg/kg dry soil.

8.2. Exposure controls

Engineering controls	For chemical exposure in the workplace, good general ventilation (3-5 air exchanges per hour), local exhaust ventilation, or use in a closed system is recommended.
Personal protective equipment	<p>The need for personal protective equipment should be based on a workplace risk assessment for the particular use.</p> <p>For contact with chemicals, wear chemical-resistant gloves and eye protection. Where more extensive contact may occur, wear protective clothing (eg apron, overalls).</p> <p>PPE should conform to British (EN) standards, eg gloves EN 420 and 374; eye protection EN 166, or other national equivalent. Consult PPE manufacturers concerning breakthrough times applicable to your particular use.</p>
Environmental exposure controls	Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

(a) Physical state	Solid consumer device
(b) Colour	Mixed
(c) Odour	None
(d) Melting/freezing point	Not available
(e) Boiling point or initial boiling point and boiling range	Not available



KODAK Powerbank Devices

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

(f)	Flammability	Not available
(g)	Lower and upper explosion limit	Not available
(h)	Flash point	Not applicable to solid
(i)	Auto-ignition temp.	Not available
(j)	Decomposition temp.	Not available
(k)	pH	Not available
(l)	Kinematic viscosity	Not applicable to solid
(m)	Solubility	Not available
(n)	Partition coeff. n-octanol/water (log value)	Not available
(o)	Vapour pressure	Not available
(p)	Density or rel. density	Not available
(q)	Relative vapour density	Not available
(r)	Particle characteristics	Not available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Not available

10.2. Chemical stability

Stable under recommended storage and handling conditions.

10.3. Possibility of hazardous reactions

Hazardous chemicals may leak from damaged product

10.4. Conditions to avoid

Avoid damaging product with mechanical or electrical stress. Do not heat during use or storage. Strong heating may lead to fire and production of irritating or harmful gas.

10.5. Incompatible materials

Avoid immersion in water or other liquid.

10.6. Hazardous decomposition products

A chemical component may decompose on heating or react with water to form hydrogen fluoride gas (toxic, corrosive).

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

(a) Acute toxicity	Not applicable to consumer device. A chemical component is toxic if swallowed. A chemical component may decompose on heating or react with water to form hydrogen fluoride gas (toxic, corrosive).
(b) Skin corrosion/irritation	Not applicable to consumer device. A chemical component may cause corrosion of skin.



KODAK Powerbank Devices

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

(c) Serious eye damage/irritation	Not applicable to consumer device. A chemical component may cause serious eye damage.
(d) Respiratory or skin sensitisation	Not applicable to consumer device. A chemical component may cause skin sensitisation or asthma.
(e) Germ cell mutagenicity	Not applicable to consumer device. No relevant chemical component has been identified with this effect.
(f) Carcinogenicity	Not applicable to consumer device. A chemical component is suspected of causing cancer.
(g) Reproductive toxicity	Not applicable to consumer device. A chemical component may damage fertility and is suspected of damaging the unborn child.
(h) STOT-single exposure	Not applicable to consumer device. Chemical vapour may irritate the respiratory tract.
(i) STOT-repeated exposure	Not applicable to consumer device. Chemical components causes damage to organs through prolonged or repeated exposure, with particular effects on bones, teeth and respiratory tract.
(j) Aspiration hazard	Not applicable to consumer device.

11.2: Information on other hazards

No ingredient has been classified with endocrine disrupting properties relevant for humans.

SECTION 12: Ecological information

12.1. Toxicity

The consumer device contains chemical component that are harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

Consumer device will persist in the environment.

12.3. Bioaccumulative potential

Not applicable to consumer device.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

No chemical component has been identified with these effects.

12.6. Endocrine disrupting properties

No chemical component has been identified with these effects.

12.7. Other adverse effects

No chemical component has been identified as hazardous to the ozone layer.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The usual method of disposal of the consumer device is via an electronic device recycling site. Disposal via landfill, drains, or incineration is not recommended.



KODAK Powerbank Devices

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Disposal must be in accordance with current national and local regulations, eg UK Waste Electrical and Electronic Equipment recycling (WEEE Regulations 2006) (EU Directive 2012/19/EU) (as amended).

General EU requirements for waste chemicals are given in Directive 2008/98/EC.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 3481	UN 3481	UN 3481	UN 3481	UN 3481
14.2. UN proper shipping name				
LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT	Lithium ion batteries contained in equipment	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT
Transport document description (ADR)				
UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT, 9A, (E)	UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT, 9	UN 3481 Lithium ion batteries contained in equipment, 9A	UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT, 9A	UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT, 9A
14.3. Transport hazard class(es)				
9A	9	9A	9A	9A
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

14.6. Special precautions for user

Overland transport

- Classification code (ADR) : M4
- Special provisions (ADR) : 188, 230, 310, 348, 360, 376, 377, 387, 390, 670
- Limited quantities (ADR) : 0
- Excepted quantities (ADR) : E0
- Packing instructions (ADR) : P903, P908, P909, P910, P911, LP903, LP904, LP905, LP906
- Transport category (ADR) : 2
- Tunnel restriction code (ADR) : E
- EAC code : 2Y

Transport by sea

- Special provisions (IMDG) : 188, 230, 310, 348, 360, 376, 377, 384, 387
- Limited quantities (IMDG) : 0
- Excepted quantities (IMDG) : E0



KODAK Powerbank Devices

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Packing instructions (IMDG)	: P903, P908, P909, P910, P911, LP903, LP904, LP905, LP906
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-I
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW19
Properties and observations (IMDG)	: Electrical batteries containing lithium ion encased in a rigid metallic body. Lithium ion batteries may also be shipped in, or packed with, equipment. Electrical lithium batteries may cause fire due to an explosive rupture of the body caused by improper construction or reaction with contaminants.

Air transport

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: 967
PCA max net quantity (IATA)	: 5kg
CAO packing instructions (IATA)	: 967
CAO max net quantity (IATA)	: 35kg
Special provisions (IATA)	: A48, A88, A99, A154, A164, A181, A185, A206, A213, A220
ERG code (IATA)	: 12FZ

Inland waterway transport

Classification code (ADN)	: M4
Special provisions (ADN)	: 188, 230, 310, 348, 360, 376, 377, 387, 390, 670
Limited quantities (ADN)	: 0
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: M4
Special provisions (RID)	: 188, 230, 310, 348, 360, _376, 377, 387, 390, 670
Limited quantities (RID)	: 0
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P903, 908, 909, P910, P911, LP903, LP904, LP905, LP906
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable



KODAK Powerbank Devices

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

UK: Control of Substances Hazardous to Health Regulations 2002 (COSHH), as amended.

COSHH Essentials: Easy Steps to Control Chemicals; HSE Books 2003 (also available on the HSE web site).

WEEE Regulations 2013; Government Guidance Notes; March 2014.

Germany: WGK (Wassergefährdungsklassen) Regulation: Verwaltungsvorschrift wassergefährdende Stoffe (VwVwS), designating water hazard classes. Not applicable to article. Contains lithium hexafluorophosphate(1-) WGK 2 (ID 9245).

Technische Regeln für Gefahrstoffe (TRGS) 900; Arbeitsplatzgrenzwerte (AGW).

Chemicals Act: Gesetz zum Schutz vor gefährlichen Stoffen (Chemikaliengesetz - Chem G).

15.2. Chemical safety assessment

Not available.

SECTION 16: Other information

Revisions	This SDS is the first version (1.0) in EU format (Regulation 2020/878), using classification according to the CLP Regulation.
Abbreviations	ATE, acute toxicity estimate; DMEL, derived minimum effect level; DNEL, derived no-effect level; IOELV, EU indicative occupational exposure limit value; PBT, persistent, bioaccumulative, and toxic; PNEC, predicted no-effect concentration; STOT RE, specific target organ toxicity, repeated exposure; STOT SE, specific target organ toxicity, single exposure; TWA, time-weighted average; WEL, UK workplace exposure limit; vPvB, very persistent, very bioaccumulative.
References	Search for chemicals; available at the European Chemicals Agency (ECHA) website: http://echa.europa.eu/ . GESTIS International Limit Values; Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA); http://www.dguv.de .
Basis of classification	Classification is not applicable to an article.
List of hazard statements	H301: Toxic if swallowed; H314: Causes severe skin burns and eye damage; H317: May cause an allergic skin reaction; H318: Causes serious eye damage; H351: Suspected of causing cancer; H372: Causes damage to organs through prolonged or repeated exposure; H412: Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.